




M100 Hi-Rise 275 SOLAS Wipe Clean - Ultrafit

The M100 Hi-Rise 275 SOLAS wipe clean is integrated with the Ocean Signal personal locating AIS Man Overboard device M100. The Wipe Clean PVC reinforced version is ideal for heavy duty industrial use.



M100 HI-RISE 275 SOLAS WIPE CLEAN - ULTRAFIT

2MTT

SUPERIOR BENEFITS:

- Designed to combine optimum safety and comfort
- The shape of the bladder is tailored to the contours of the wearer to create a snug secure fit whilst giving supreme in-water performance
- Stylized horseshoe design with offset shoulder straps to alleviate weight and pressure stress on neck and shoulders
- The bladder has a unique hinged head pillow for optimal comfort and head support in water

KEY FEATURES:

- Durable waterproof fabric
- Durable wipe clean PVC reinforcement
- Double shoulder straps for comfort and reduction of weight to the back neck.
- Zip fastening cover
- Stainless steel interlocking belt buckles
- Adjustable waist belt
- Detachable crutch strap
- Marine grade stainless steel D-ring in front

INFLATABLE BLADDER:

- Double chamber
- Oral inflation tube on back chamber and Over pressure tube + relief valve on front chamber for manual inflation and deflation and also to relieve any excess pressure if both chambers are fired simultaneously
- SOLAS approved retro-reflective tape on bladder
- Red recovery grab strap on bladder marked "LIFT"
- 2 x 60g CO₂ gas cylinders
- Automatic water-activated SOLAS S.O.S. light
- 2 x Inflation systems
- Marine grade whistle
- Buddy line

ACTUAL BUOYANCY:

320N

AVAILABLE SIZES:

- Universal

CERTIFIED:

- SOLAS
- EN ISO 12402-2 : 2006 +A1 : 2010 - EN ISO 12402-6: 2006 + A1:2010 for inflatable lifejackets performance level 275
- EN ISO 12401 : 2009

COLOUR:

- RS0 Red

MULLION BELGIUM

Export office
Fabriekstraat 23
8850 Ardooie
Belgium
T +32 (0)51 74 15 02
info@mullion-pfd.com

MULLION UK

Altham Lane
Altham, Accrington
Lancashire BB5 5YA
United Kingdom
T +32 (0)51 740 830
unitedkingdom@mullion-pfd.com

MULLION IRELAND

Cweedore Business Park
Derrybeg, Co. Donegal
Ireland
T +353 (0)74 95 31 169
ireland@mullion-pfd.com



Discover
our products

© 2020 Mullion Survival Technology Ltd - Maritime Safety Suits & Lifejackets

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.

M100 HI-RISE 275 SOLAS WIPE CLEAN - ULTRAFIT

2MTT



MULLION BELGIUM

Export office
Fabriekstraat 23
8850 Ardooie
Belgium
T +32 (0)51 74 15 02
info@mullion-pfd.com

MULLION UK

Altham Lane
Altham, Accrington
Lancashire BB5 5YA
United Kingdom
T +32 (0)51 740 830
unitedkingdom@mullion-pfd.com

MULLION IRELAND

Cweedore Business Park
Derrybeg, Co. Donegal
Ireland
T +353 (0)74 95 31 169
ireland@mullion-pfd.com



Discover
our products

© 2020 Mullion Survival Technology Ltd - Maritime Safety Suits & Lifejackets

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.