



# Hi-Tide 275 FR AST - Ultrafit

The Hi-Tide 275 Flame Retardant Antistatic is ideal for use by workers in areas where there is risk of fire or explosion caused by static, sparks or combustible materials. This lifejacket is giving optimum protection for wearers in such ATEX environments.



EN ISO 12401 Deck Safety Harness

# HI-TIDE 275 FR AST - ULTRAFIT

## SUPERIOR BENEFITS:

• Stylized horseshoe design with offset shoulder straps to alleviate weight and pressure stress on neck and shoulders

# KEY FEATURES:

- Hi-Vis orange or yellow FR AST waterproof fabric
- Double shoulder straps for comfort and reduction of weight to the back neck.
- Zip fastening cover with FR AST protective cover over zip
- Interlock FR AST buckles
- Adjustable waist belt
- Detachable crutch strap
- l radio loop
- Integrated deck safety harness approved to EN ISO12401
- All straps and belt in FR AST webbing
- Fr reflective striping 50 mm

#### INFLATABLE BLADDER:

- Single chamber
- Oral inflation tube
- SOLAS approved retro-reflective tape on bladder
- Red recovery grab strap on bladder marked "LIFT"
- 60g CO, gas cylinder
- Inflation system
- Marine grade whistle

# ACTUAL BUOYANCY:

294N

### AVAILABLE SIZES:

• Universal

### CERTIFIED:

- EN ISO 12402-2 : 2006 +A1 : 2010 for inflatable lifejackets performance level 275
- EN ISO 12401 : 2009

#### COLOUR:

- FCS Hi-Vis Orange
- FYS Hi-Vis Yellow

#### AVAILABLE INFLATION SYSTEMS:

3MXVA4EF7: Halkey Roberts Alpha auto inflator

Discover our products

#### om viriti r. nakcy kooci is mpila aa

3MXV



© 2020 Mullion Survival Technology Ltd - Maritime Safety Suits & Lifejackets

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.

Copyright © 2020 Mullion Survival Technology Ltd. All rights reserved. info@mullion-pfd.com

Mullion Survival Technology Ltd. is part of Sioen nv, subsidiary of the Sioen Industries Group. Real textile colours may slightly differ from the printed ones. We are not responsible for printing errors.

MULLION BELGIUM

Export office Fabriekstraat 23 8850 Ardooie Belgium T +32 (0)51 74 15 02 info@mullion-pfd.com

#### MULLION UK

Altham Lane Altham, Accrington Lancashire BB5 5YA United Kingdom T +32 (0)51 740 830 unitedkingdom@mullion-pfd.com

#### MULLION IRELAND

Gweedore Business Park Derrybeg, Co. Donegal Ireland T +353 (0)74 95 31 169 ireland@mullion-pfd.com

# HI-TIDE 275 FR AST - ULTRAFIT







#### MULLION BELGIUM

Export office Fabriekstraat 23 8850 Ardooie Belgium T +32 (0)51 74 15 02 info@mullion-pfd.com

#### MULLION UK

Altham Lane Altham, Accrington Lancashire BB5 5YA United Kingdom T +32 (0)51 740 830 unitedkingdom@mullion-pfd.com

#### MULLION IRELAND

Gweedore Business Park Derrybeg, Co. Donegal Ireland T +353 (0)74 95 31 169 ireland@mullion-pfd.com



Discover our products

#### © 2020 Mullion Survival Technology Ltd - Maritime Safety Suits & Lifejackets

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.